

Insurance Coverage for Diabetes Prescription Therapies

Drug	Available as generic	Alberta Blue Cross Coverage	Private Coverage *Dependent on plan, some exceptions may apply
Acarbose (Glucobay ®)	Yes	Covered	Covered
Sitagliptin (Januvia®) Linagliptin (Trajenta®) Saxagliptin (Onglyza®)	No	Step Therapy (Appendix 1.a) and Special Authorization Form (Appendix 1.b)	Covered
Gliclazide (Diamicron®) Glyburide (Diabeta®)	Yes	Covered	Covered
Glimepiride (Amaryl®)	Yes	Not covered	Covered
Nateglinide (Starlix ®)	No	Not covered	Covered
Repaglinide (Gluconorm ®)	Yes	Covered	Covered
Metformin (Glucophage®) Metformin XR (Glumetza®)	Yes	Covered *Glumetza not covered	Covered
Pioglitazone (Actos®) Rosiglitazone (Avandia®)	Yes No	Step Therapy (Appendix 2.a) and Special Authorization Form (Appendix 2.b)	Covered
Canagliflozin (Invokana®) Dapagliflozin (Forxiga®) Empagliflozin (Jardiance®)	No	Step Therapy (Appendix 1.a) and Special Authorization Form (Appendix 1.b)	Covered
Orlistat (Xenical®)	No	Not covered	Usually not covered
Exenatide (Byetta®) Liraglutide (Victoza®, Saxenda®), Dulaglutide (Trulicity®)	No	Not covered	Likely covered
Insulin Rapid/Short/Intermediate/Long Pre-Mixed	N/A	Covered * Novomix 30 not covered	Covered
Toujeo®, Fiasp®	N/A	Under review	Covered



Tresiba® N/A Under review Likely covered

Appendix 1.a

Step Therapy for DPP-4/SGLT2 Inhibitors for Alberta Blue Cross Patients

The drug product(s) listed below are eligible for coverage via the step therapy/special authorization process.

FIRST-LINE DRUG PRODUCT(S): METFORMIN
SECOND-LINE DRUG PRODUCT(S): SULFONYLUREAS
AND WHERE INSULIN IS NOT AN OPTION

As add-on therapy for the treatment of Type 2 diabetes in patients with intolerance to and/or inadequate glycemic control on:

- a sufficient trial (i.e. a minimum of 6 months) of metformin, AND
- a sulfonylurea, AND
- for whom insulin is not an option.

Or, for whom these products are contraindicated.

Special authorization may be granted for 24 months.

Note: If a claim for the Step therapy drug product is rejected, pharmacists can use their professional judgment to determine the appropriateness of using the intervention code(s) noted below to re-submit a claim. The pharmacist is responsible to document on the patient's record the rationale for using the second-line therapy drug.

- UP First-line therapy ineffective
- UQ First-line therapy not tolerated
- CA Prior adverse reaction
- CB Previous treatment failure
- CJ Product is not effective

All requests for DPP-4/SGLT2 Inhibitors must be completed using the DPP-4/SGLT2 Inhibitors Special Authorization Request Form (ABC 60012).



Appendix 1.b



PDF fillable version is available at: https://idbl.ab.bluecross.ca/idbl/PDFS/60012.pdf

processed.		A THE POST OF THE PARTY OF	. Contraction			sponsored drug progra
PATIENT INFORMATION	Tanana and				COVE	ERAGE TYPE:
PATIENT LAST NAME	FIRST NAME			INITIAL	-	Iberta Blue Cross
DATE OF BIRTH: Year / Month / Day	ALBERTA PERSONA	AL HEALTH I	NUMBER			Iberta Human Services ther
		T				
STREET ADDRESS	CITY	PROV	POSI	TAL CODE	IDEN	TIFICATION/CLIENT/COVERAGE N
PRESCRIBER INFORMATION	4		1			
PRESCRIBER LAST NAME	FIRST NAME INIT	IAL PRES	CRIBER	PROFESSIO	ONAL A	SSOCIATION REGISTRATION
		□ CI		☐ ACC)	REGISTRATION NO.
STREET ADDRESS		-	ARNA	ADA		
		□ A		Othe	er	Ti-
CITY , PROVINCE		PHON	VE:			FAX:
arr, Province						
POSTAL CODE			FAX N			BE PROVIDED WITH EACH T SUBMITTED
ndicate which drug is requested	(check one box):			coperator .		
CANAgliflozin (e.g. Invokana)	LINAgliptin + metformin	(e.g. Jenta	dueto)	I S	TAglip	tin (e.g. Januvia)
LINAgliptin (e.g. Trajenta)	SAXAgliptin (e.g. Ongly	and the second	ै	200	VIII TAKE	tin + metformin (e.g. Janumet)
Criteria for Coverage		200				The state of the s
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an Or, for whom these products are co	mum of 6 months) of metfor option. ontraindicated. owing information for NE	min, AND		nce to and/	or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are co NEW Please provide the follo Please indicate if metformin was Yes If yes, please indicate Yes No, please spe	option. ontraindicated. owing information for NEI used: if a 6 month trial of metion	rmin, AND	5:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an Or, for whom these products are or NEW Please provide the follo Please indicate if metformin was Yes If yes, please indicate Yes No, please specify reason:	option. ontraindicated. owing information for NEV used: if a 6 month trial of methodicity reason:	rmin, AND	5:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are or NEW Please provide the follo Please indicate if metformin was Yes If yes, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea	option. ontraindicated. owing information for NEV used: if a 6 month trial of mett ecify reason: was tried:	rmin, AND	5:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an Or, for whom these products are co NEW Please provide the follo Please indicate if metformin was Yes If yes, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please s	option. ontraindicated. owing information for NEI used: if a 6 month trial of meti ecify reason: was tried: pecify reason:	rmin, AND	5:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are co NEW Please provide the foll Please indicate if metformin was Yes If yes, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please s Please indicate if insulin was triet Yes No, please in	option. ontraindicated. owing information for NEV used: eif a 6 month trial of metion ecify reason: pecify reason: d: ndicate why insulin is not a ual dexterity concerns	W request	s: s used:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are co NEW Please provide the foll Please indicate if metformin was Yes If yes, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please s Please indicate if insulin was triet Yes No, please in Cog	option. ontraindicated. owing information for NEV used: eif a 6 month trial of meti ecify reason: was tried: pecify reason: d: ndicate why insulin is not a	W request	s: s used:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are co NEW Please provide the follo Please indicate if metformin was Yes Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please s Please indicate if insulin was tries Yes No, please indicate if yes Cog Visu Nee	option. ontraindicated. owing information for NEV used: eif a 6 month trial of mett ecify reason: was tried: pecify reason: d: ndicate why insulin is not a ual dexterity concerns nitive impairment al impairment dle phobia ent preference	W request	s: s used:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are or NEW Please provide the follo Please indicate if metformin was Yes Yes No, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please indicate if insulin was tried Yes	option. ontraindicated. owing information for NEV used: e if a 6 month trial of mett ecify reason: was tried: pecify reason: d: ndicate why insulin is not a ual dexterity concerns nitive impairment al impairment dle phobia ent preference er, please specify:	W request	s: s used:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are or NEW Please provide the follo Please indicate if metformin was Yes Yes No, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please indicate if insulin was tried Yes	option. ontraindicated. owing information for NEV used: e if a 6 month trial of mett ecify reason: was tried: pecify reason: d: ndicate why insulin is not a ual dexterity concerns nitive impairment al impairment dle phobia ent preference er, please specify:	W request	s: s used:		or inac	dequate glycemic control on:
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are or NEW Please provide the follow Please indicate if metformin was Yes Yes No, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please s Please indicate if insulin was tries Yes No, please indicate insulin was tries Yes	option. ontraindicated. owing information for NEV used: eif a 6 month trial of mett ecify reason: was tried: pecify reason: d: ndicate why insulin is not a ual dexterity concerns nitive impairment al impairment dle phobia ent preference er, please specify: ble for step-therapy. A Specia	W requests formin wa	s used:	patient:		
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an or, for whom these products are or NEW Please provide the follow Please indicate if metformin was Yes Yes No, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please indicate if insulin was tried Yes Yes	option. ontraindicated. owing information for NEV used: eif a 6 month trial of mett ecify reason: was tried: pecify reason: d: ndicate why insulin is not a ual dexterity concerns nitive impairment al impairment dle phobia ent preference er, please specify: ble for step-therapy. A Specia	W requests formin wa	s: s used: or this p	ewal reque	st is re-	quired only if the patient has <u>not</u>
As add-on therapy for the treatmen a sufficient trial (i.e. a mini a sulfonylurea, AND for whom insulin is not an Or, for whom these products are co NEW Please provide the foll Please indicate if metformin was Yes If yes, please indicate Yes No, please specify reason: Please indicate if a sulfonylurea Yes No, please s Please indicate if insulin was triet Yes No, please in Cog Visu Nee-	option. ontraindicated. owing information for NEV used: eif a 6 month trial of mett ecify reason: was tried: pecify reason: d: ndicate why insulin is not a ual dexterity concerns nitive impairment al impairment dle phobia ent preference er, please specify: prequest: ble for step-therapy. A Speci- ing the preceding 12 months	W requests formin wa an option formin wa Please form	s: s used: or this p	ewal reque request to: Cross, Clinic set NW, Edr	st is rec	quired only if the patient has <u>not</u>



Appendix 2.a

Step Therapy for Pioglitazone and Rosiglitazone for Alberta Blue Cross Patients

The drug product(s) listed below are eligible for coverage via the step therapy/special authorization process.

FIRST-LINE DRUG PRODUCT(S): METFORMIN

"For the treatment of Type 2 diabetes in patients who have an inadequate response to a sufficient trial (i.e. a minimum of 6 months) of metformin or who are intolerant to metformin (e.g. dermatologic reactions) or for whom the product is contraindicated."

Special authorization may be granted for 24 months.

Note: If a claim for the Step therapy drug product is rejected, pharmacists can use their professional judgment to determine the appropriateness of using the intervention code(s) noted below to re-submit a claim. The pharmacist is responsible to document on the patient's record the rationale for using the second-line therapy drug.

UP - First-line therapy ineffective

UQ - First-line therapy not tolerated

Complete Special Authorization Request Form (ABC 60015).



Appendix 2.b



PDF fillable version is available at: https://idbl.ab.bluecross.ca/idbl/PDFS/60015.pdf

ATIENT INFORMATION					COVERAGE TYPE:	
ATIENT LAST NAME	FIRST NA	ME		INITIAL		
	- 1000			Na955	Alberta Blue Cross Alberta Human Services Other	
ATE OF BIRTH: Year / Month / Day	AI REPTA	PERSONAL HEAL	TH NUMBER	2		
	-				-a-a-a-	
And the second s	725	3340000	1.05 01.010	respectable for each one for	45	
TREET ADDRESS		CITY	PRO	V POSTAL CODE	IDENTIFICATION/CLIENT/COVERAGE N	
RESCRIBER INFORMATION		300	.28	965	X0	
RESCRIBER LAST NAME	FIRST NAME	INITIAL	PRESCRIBER	PROFESSIONAL	ASSOCIATION REGISTRATION	
			CPSA	☐ ACO	REGISTRATION NO.	
TREET ADDRESS			☐ CARNA	ADA+C		
INCL. PUDNESS			PHONE:	Other	Term.	
TY . PROVINCE			PHONE:		FAX:	
OSTAL CODE			FAX N	ILIMBER MITET	BE PROVIDED WITH EACH	
			LOAN	REQUE	BE PROVIDED WITH EACH ST SUBMITTED	
NEW RENEWAL DRUG REQ	HEAT MALE					
Orug(s), Dosage(s) and Duration Required	uested:		or may not be	approved by Alb	erta Blue Cross	
Drug(s), Dosage(s) and Duration Requ	g is being used	to treat:	er may not be	approved by Alb	erta Blue Cross	
Drug(s), Dosage(s) and Duration Required	g is being used	to treat:	or may not be a	approved by Alb	erta Blue Cross	